Pain, 50 (1992) 375–377
© 1992 Elsevier Science Publishers B.V. All rights reserved 0304-3959/92/$05.00

Author Index to Volume 50 (1992)

Abbott, F.V., Gray-Donald, K., Sewitch, M.J., Johnston, C.C., Edgar, L. and Jeans, M.-E.
The prevalence of pain in hospitalized patients and resolution over six months (50) 15
Andrews, H.B., see Harper, A.C. (50) 189
Athanassiadis, C. and Karamanis, A.
Akathisia after long-term epidural use of droperidol: a case report (50) 203

Banning, A., Henriksen, H. and Sjögren, P.
Response to S.A. Schug, R. Dunlop, S. Grond and D. Zech (50) 239
Banning, A., Henriksen, H., Sjögren, P., Pertovaara, A. and Kemppainen, P.
Comments on Padawer and Levine, *PAIN*, 48 (1992) 132–135 (50) 239
Besana, F., see De Benedittis, G. (50) 245
Boal, R., see Kaminski, M. (50) 317
Böhrer, H. and Schmidt, H.
Comment on Bruera et al., Local toxicity with subcutaneous methadone. Experience of two centers, *PAIN*, 45 (1991) 141–143 (50) 373
Boureau, F., Luu, M. and Doubrère, J.F.
Comparative study of the validity of four French McGill Pain Questionnaire (MPQ) versions (50) 59
Breivik, H., see Quiding, H. (50) 303
Bremnes, J., see Quiding, H. (50) 303
Brockopp, G.W., see Wilson, J.F. (50) 251
Bromm, B., Forth, W., Richter, E. and Scharein, E.
Effects of acetaminophen and antipyrine on non-inflammatory pain and EEG activity (50) 213
Bruera, E.
Reply to H. Böhrer and H. Schmidt (50) 373
Bruera, E., Fainsinger, R., MacEachern, T. and Hanson, J.
The use of methylphenidate in patients with incident cancer pain receiving regular opiates. A preliminary report (50) 75
Buonocore, M., see Casale, R. (50) 169

Carstens, E., see Douglass, D.K. (50) 197
Cartmell, S., see Gelgor, L. (50) 323
Casale, R., Glynn, C. and Buonocore, M.
The role of ischaemia in the analgesia which follows Bier's block technique (50) 169
Chu-Andrews, J.
Comments on Boissevain and McCain, Pain, 45 (1991) 227–248 (50) 126
Chung, J.M., see Kim, S.H. (50) 355
Coda, B.A., Mackie, A. and Hill, H.F.
Influence of alprazolam on opioid analgesia and side effects during steady-state morphine infusions (50) 309
Coghill, R.C., see Mao, J. (50) 89
Cohen, I.T., see Tarbell, S.E. (50) 273
Cummings, C., see Mills, G.K. (50) 237
Cummings, C., see Syrjala, K. (50) 237

Dauer, H.G., see Zech, D.F.J. (50) 293
De Benedittis, G., Besana, F. and Lorenzetti, A.
A new topical treatment for acute herpetic neuralgia and post-herpetic neuralgia: the aspirin/diethyl ether mixture. An open-label study plus a double-blind controlled clinical trial (50) 245
De Castro-Costa, M., see Kupers, R.C. (50) 101
Dickenson, A.H., see Stanfa, L.C. (50) 345
Doctor, J.N., see Slater, M.A. (50) 129
Donaldson, G., see Mills, G.K. (50) 237
Donaldson, G., see Syrjala, K. (50) 237
Doubrère, J.F., see Boureau, F. (50) 59
Douglass, D.K., Carstens, E. and Watkins, L.R.
Spatial summation in human thermal pain perception: comparison within and between dermatomes (50) 197
Droste, C. and Greenlee, M.W.
Comments on Padawer and Levine, *PAIN*, 48 (1992) 132–135 (50) 241
Droste, C. and Greenlee, M.W.
Comments on Padawer and Levine, *PAIN*, 48 (1992) 132–135 (50) 241
Dubner, R., see Ren, K. (50) 331
Dunlop, R., see Schug, S.A. (50) 238
Dunlop, R., see Schug, S.A. (50) 238
Dworkin, S.F., see Von Korff, M. (50) 133

Edgar, L., see Abbott, F.V. (50) 15
Ekblom, A., Hansson, P., Lindblom, U. and Olofsson, C.
Does a regional nerve block change cutaneous perception thresholds outside the anaesthetic area? Implications for the interpretation of diagnostic blocks (50) 163
Elkind, G., see Peters, J. (50) 41

Fainsinger, R., see Bruera, E. (50) 75
Fields, H.L., see Galer, B.S. (50) 205
Fisher, R., see Sullivan, M.J.L. (50) 5
Forth, W., see Bromm, B. (50) 213
Fowler, K.R., see North, R.B. (50) 51

Galer, B.S., Rowbotham, M.C., Von Miller, K., Walton, A. and Fields, H.L.
Treatment of inflammatory, neuropathic and sympathetically maintained pain in a patient with Sjögren's syndrome (50) 205
Gelgor, L., Cartmell, S. and Mitchell, D.
Intracerebroventricular micro-injections of non-steroidal anti-inflammatory drugs abolish reperfusion hyperalgesia in the rat's tail (50) 323
Giordano, J. and Rogers, L.V.
Putative mechanisms of buspirone-induced antinociception in the rat (50) 365
Glynn, C., see Casale, R. (50) 169
Gray-Donald, K., see Abbott, F.V. (50) 15
Greenlee, M.W., see Droste, C. (50) 241
Greenlee, M.W., see Droste, C. (50) 241
Greenspan, J.D. and Winfield, J.A.
Reversible pain and tactile deficit associated with a cerebral

tumor compressing the posterior insula and parietal operculum (50) 29
Grimstad, J., see Quiding, H. (50) 303
Grond, S., see Schug, S.A. (50) 238
Grond, S., see Schug, S.A. (50) 238
Grond, S.U.A., see Zech, D.F.J. (50) 293
Gross, R.T., see McCracken, L.M. (50) 67
Gybels, J.M., see Kupers, R.C. (50) 101

Hanson, J., see Bruera, E. (50) 75
Hansson, P., see Ekblom, A. (50) 163
Harper, A.C., Harper, D.A., Lambert, L.J., Andrews, H.B., Lo, S.K., Ross, F.M. and Straker, L.M.
Symptoms of impairment, disability and handicap in low back pain: a taxonomy (50) 189
Harper, D.A., see Harper, A.C. (50) 189
Hayaishi, O., see Minami, T. (50) 223
Hayes, R.L., see Mao, J. (50) 89
Henriksen, H., see Banning, A. (50) 239
Henriksen, H., see Banning, A. (50) 239
Herbert, M.K. and Schmidt, R.F.
Activation of normal and inflamed fine articular afferent units by serotonin (50) 79
Hill, H.F., see Coda, B.A. (50) 309
Horiguchi, S., see Minami, T. (50) 223
Hylden, J.L.K., see Ren, K. (50) 331
Hyodo, M., see Minami, T. (50) 223

Ito, S., see Minami, T. (50) 223

James, F.R. and Large, R.G.
Chronic pain, relationships and illness self-construct (50) 263
Jeans, M.-E., see Abbott, F.V. (50) 15
Jensen, M.P., Strom, S.E., Turner, J.A. and Romano, J.M.
Validity of the Sickness Impact Profile Roland scale as a measure of dysfunction in chronic pain patients (50) 157
Johnston, C.C., see Abbott, F.V. (50) 15

Kaminski, M. and Boal, R.
An effect of ascorbic acid on delayed-onset muscle soreness (50) 317
Karamanis, A., see Athanassiadis, C. (50) 203
Keefe, F.J., see Von Korff, M. (50) 133
Kemppainen, P., see Banning, A. (50) 239
Kemppainen, P., see Pertovaara, A. (50) 239
Kim, S.H. and Chung, J.M.
An experimental model for peripheral neuropathy produced by segmental spinal nerve ligation in the rat (50) 355
Kinsler, B.L., see Millard, R.W. (50) 287
Klapow, J.C., see Slater, M.A. (50) 129
Koopmans, R., see Peters, M.L. (50) 177
Kryst, S., see Wilson, J.F. (50) 251
Kupers, R.C., Nuytten, D., De Castro-Costa, M. and Gybels, J.M.
A time course analysis of the changes in spontaneous and evoked behaviour in a rat model of neuropathic pain (50) 101

Lambert, L.J., see Harper, A.C. (50) 189
Large, R.G., see James, F.R. (50) 263
Large, R.G., see Peters, J. (50) 41
Lee, J.H. and McCarty, R.
Pain threshold in diabetic rats: effects of good versus poor diabetic control (50) 231
Lehmann, K.A., see Zech, D.F.J. (50) 293
Levine, F.M. and Padawer, W.J.
Research design and exercise-induced analgesia: a reply to Pertovaara and Kemppainen, and Droste and Greenlee (50) 242
Levine, F.M. and Padawer, W.J.
Research design and exercise-induced analgesia: a reply to Pertovaara and Kemppainen, and Droste and Greenlee (50) 242
Liebeskind, J.C., see Vaccarino, A.L. (50) 119
Lindblom, U., see Ekblom, A. (50) 163
Lo, S.K., see Harper, A.C. (50) 189
Lorenzetti, A., see De Benedittis, G. (50) 245
Luu, M., see Boureau, F. (50) 59
Lynch, J., see Zech, D.F.J. (50) 293

MacEachern, T., see Bruera, E. (50) 75
Mackie, A., see Coda, B.A. (50) 309
Maddaloni, S., see Mercadante, S. (50) 151
Mao, J., Price, D.D., Coghill, R.C., Mayer, D.J. and Hayes, R.L.
Spatial patterns of spinal cord [^{14}C]-2-deoxyglucose metabolic activity in a rat model of painful peripheral mononeuropathy (50) 89
Marek, P., see Vaccarino, A.L. (50) 119
Marsh, J.L., see Tarbell, S.E. (50) 273
Max, M.B.
U.S. Government disseminates acute pain treatment guidelines: will they make a difference? (50) 3
Max, M.B.
What should medical students learn about pain? (50) 249
Max, M.D., M.B.
Reply to F.J. Molina (50) 243
Max, M.D., M.B., see Molina, M.D., F.J. (50) 243
Mayer, D.J., see Mao, J. (50) 89
McCarty, R., see Lee, J.H. (50) 231
McCracken, L.M., Zayfert, C. and Gross, R.T.
The Pain Anxiety Symptoms Scale: development and validation of a scale to measure fear of pain (50) 67
Mercadante, S., Maddaloni, S., Roccella, S. and Salvaggio, L.
Predictive factors in advanced cancer pain treated only by analgesics (50) 151
Mikail, S., see Sullivan, M.J.L. (50) 5
Millard, R.W. and Kinsler, B.L.
Evaluation of constricted affect in chronic pain: an attempt using the Toronto Alexythymia Scale (50) 287
Mills, G.K., Syrjala, K., Donaldson, G. and Cummings, C.
Response to G.K. Mills (50) 237
Mills, G.K.
Comments on Syrjala et al., *PAIN*, 48 (1992) 137–146 (50) 237
Minami, T., Uda, R., Horiguchi, S., Ito, S., Hyodo, M. and Hayaishi, O.
Allodynia evoked by intrathecal administration of prostaglandin $F_{2\alpha}$ to conscious mice (50) 223
Mitchell, D., see Gelgor, L. (50) 323
Molina, M.D., F.J. and Max, M.D., M.B.
Reply to F.J. Molina (50) 243
Molina, M.D., F.J.
Comments on Max et al., *PAIN*, 45 (1991) 3–9 (50) 243

Nashold, Jr., B.S., see Rossitch, Jr., E. (50) 209
Nigrin, D.J., see North, R.B. (50) 51
North, R.B., Nigrin, D.J., Fowler, K.R., Szymanski, R.E. and Piantadosi, S.
Automated 'pain drawing' analysis by computer-controlled, patient-interactive neurological stimulation system (50) 51
Nuytten, D., see Kupers, R.C. (50) 101

Oakes, W.J., see Rossitch, Jr., E. (50) 209
Olofsson, C., see Ekblom, A. (50) 163
Ormel, J., see Von Korff, M. (50) 133
Ovelmen-Levitt, J., see Rossitch, Jr., E. (50) 209

Padawer, W.J., see Levine, F.M. (50) 242
Padawer, W.J., see Levine, F.M. (50) 242
Pertovaara, A. and Kemppainen, P.
Comments on Padawer and Levine, *PAIN*, 48 (1992) 132–135 (50) 239
Pertovaara, A., see Banning, A. (50) 239
Peters, J., Large, R.G. and Elkind, G.
Follow-up results from a randomised controlled trial evaluating in- and outpatient pain management programmes (50) 41
Peters, M.L., Schmidt, A.J.M., Van den Hout, M.A., Koopmans, R. and Sluijter, M.E.
Chronic back pain, acute postoperative pain and the activation of diffuse noxious inhibitory controls (DNIC) (50) 177
Piantadosi, S., see North, R.B. (50) 51
Price, D.D., see Mao, J. (50) 89

Quiding, H., Grimstad, J., Rusten, K., Stubhaug, A., Bremnes, J. and Breivik, H.
Ibuprofen plus codeine, ibuprofen, and placebo in a single- and multidose cross-over comparison for coxarthrosis pain (50) 303

Reesor, K., see Sullivan, M.J.L. (50) 5
Reid, A., see Sawynok, J. (50) 113
Ren, K., Hylden, J.L.K., Williams, G.M., Ruda, M.A. and Dubner, R.
The effects of a non-competitive NMDA receptor antagonist, MK-801, on behavioral hyperalgesia and dorsal horn neuronal activity in rats with unilateral inflammation (50) 331
Richter, E., see Bromm, B. (50) 213
Roccella, S., see Mercadante, S. (50) 151
Rogers, L.V., see Giordano, J. (50) 365
Romano, J.M., see Jensen, M.P. (50) 157
Ross, F.M., see Harper, A.C. (50) 189
Rossitch, Jr., E., Oakes, W.J., Ovelmen-Levitt, J. and Nashold, Jr., B.S.
Self-mutilation following brachial plexus injury sustained at birth (50) 209
Rowbotham, M.C., see Galer, B.S. (50) 205
Ruda, M.A., see Ren, K. (50) 331
Rusten, K., see Quiding, H. (50) 303

Salvaggio, L., see Mercadante, S. (50) 151
Sawynok, J. and Reid, A.
Desipramine potentiates spinal antinociception by 5-hydroxytryptamine, morphine and adenosine (50) 113
Scharein, E., see Bromm, B. (50) 213
Schmidt, A.J.M., see Peters, M.L. (50) 177
Schmidt, H., see Böhrer, H. (50) 373
Schmidt, R.F., see Herbert, M.K. (50) 79
Schug, S.A., Dunlop, R., Grond, S. and Zech, D.
Comment on Banning, Sjögren and Henriksen, *PAIN*, 47 (1991) 129–134 (50) 238
Schug, S.A., Dunlop, R., Grond, S. and Zech, D.
Comment on Banning, Sjögren and Henriksen, *PAIN*, 47 (1991) 129–134 (50) 238
Schuler, L., see Wilder-Smith, C.H. (50) 257
Sewitch, M.J., see Abbott, F.V. (50) 15
Sjögren, P., see Banning, A. (50) 239
Sjögren, P., see Banning, A. (50) 239
Slater, M.A., Klapow, J.C. and Doctor, J.N.
When a 'significant' correlation and a 'non-significant' correlation are *not* significantly different (50) 129
Sluijter, M.E., see Peters, M.L. (50) 177
Stanfa, L.C., Sullivan, A.F. and Dickenson, A.H.
Alterations in neuronal excitability and the potency of spinal mu, delta and kappa opioids after carrageenan-induced inflammation (50) 345
Steger, H., see Wilson, J.F. (50) 251
Sternberg, W., see Vaccarino, A.L. (50) 119
Stollenwerk, B., see Zech, D.F.J. (50) 293
Straker, L.M., see Harper, A.C. (50) 189
Strom, S.E., see Jensen, M.P. (50) 157
Stubhaug, A., see Quiding, H. (50) 303
Sullivan, A.F., see Stanfa, L.C. (50) 345
Sullivan, M.J.L., Reesor, K., Mikail, S. and Fisher, R.
The treatment of depression in chronic low back pain: review and recommendations (50) 5
Syrjala, K., Donaldson, G. and Cummings, C.
Response to G.K. Mills (50) 237
Syrjala, K., see Mills, G.K. (50) 237
Szymanski, R.E., see North, R.B. (50) 51

Tarbell, S.E., Cohen, I.T. and Marsh, J.L.
The Toddler–Preschooler Postoperative Pain Scale: an observational scale for measuring postoperative pain in children aged 1–5. Preliminary report (50) 273
Turner, J.A., see Jensen, M.P. (50) 157

Uda, R., see Minami, T. (50) 223

Vaccarino, A.L., Marek, P., Sternberg, W. and Liebeskind, J.C.
NMDA receptor antagonist MK-801 blocks non-opioid stress-induced analgesia in the formalin test (50) 119
Van den Hout, M.A., see Peters, M.L. (50) 177
Von Korff, M., Ormel, J., Keefe, F.J. and Dworkin, S.F.
Grading the severity of chronic pain (50) 133
Von Korff, M., see Whitney, C.W. (50) 281
Von Miller, K., see Galer, B.S. (50) 205

Walton, A., see Galer, B.S. (50) 205
Watkins, L.R., see Douglass, D.K. (50) 197
Whitney, C.W. and Von Korff, M.
Regression to the mean in treated versus untreated chronic pain (50) 281
Wilder-Smith, C.H. and Schuler, L.
Postoperative analgesia: pain by choice? The influence of patient attitudes and patient education (50) 257
Williams, G.M., see Ren, K. (50) 331
Wilson, J.F., Brockopp, G.W., Kryst, S., Steger, H. and Witt, W.O.
Medical students' attitudes toward pain before and after a brief course on pain (50) 251
Winfield, J.A., see Greenspan, J.D. (50) 29
Witt, W.O., see Wilson, J.F. (50) 251

Zayfert, C., see McCracken, L.M. (50) 67
Zech, D., see Schug, S.A. (50) 238
Zech, D., see Schug, S.A. (50) 238
Zech, D.F.J., Grond, S.U.A., Lynch, J., Dauer, H.G., Stollenwerk, B. and Lehmann, K.A.
Transdermal fentanyl and initial dose-finding with patient-controlled analgesia in cancer pain. A pilot study with 20 terminally ill cancer patients (50) 293